

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of: Michael AGUS

United States Application No.: 10/575,694

Confirmation No: 1821

International Application No.: PCT/US04/36565

International Filing Date: 11-03-04

For: CONTINUOUS ANALYTE MONITOR AND METHOD OF USING SAME

Attorney Docket No.: 2099.00040

**RESPONSE TO NOTIFICATION OF MISSING REQUIREMENTS**

Mail Stop PCT  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:


In response to the Notification of Missing Requirements Under 35 U.S.C.  
371 in the DO/EO/US, enclosed please find the following:

1. Fully Executed Declaration and Power of Attorney.

Please charge our Deposit Account No. 11-1449 for any additional fees or  
credit our account for any overpayment.

Respectfully submitted,

KOHN & ASSOCIATES, PLLC




Dated: September 16, 2008

Kenneth I. Kohn, Reg. No. 30,955  
Customer No.: 48924

**CERTIFICATE OF ELECTRONIC FILING VIA EFS-WEB**

Date of Electronic Filing: 9/18/08

I hereby certify that this correspondence is being electronically filed with  
the United States Patent & Trademark Office on the above date.

  
Terry Horst